

**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	Strontium carbonate	<b>Batch No.</b>	JL20250315
<b>CAS</b>	1633-05-2	<b>MF Date</b>	MAR.15,2025
<b>Packing</b>	25kg/bag	<b>Analysis Date</b>	MAR.15,2025
<b>Quantity</b>	3000kg	<b>Expiry Date</b>	MAR.14,2026
<b>ITEM</b>	<b>STANDARD</b>		<b>RESULT</b>
	I	II	
<b>SrCO<sub>3</sub>+BaCO<sub>3</sub> % ≥</b>	98.0		98.56
<b>SrCO<sub>3</sub> % ≥</b>	97.0	96.0	97.27
<b>Reduction of drying % ≤</b>	0.3	0.5	0.067
<b>CaCO<sub>3</sub> % ≤</b>	0.5	0.5	0.29
<b>BaCO<sub>3</sub> % ≤</b>	1.5	2.0	1.25
<b>Na % ≤</b>	0.25	-	0.21
<b>Fe % ≤</b>	0.005	0.005	0.00087
<b>Chloride (Cl) % ≤</b>	0.12	-	0.011
<b>Total sulfur (SO<sub>4</sub>) % ≤</b>	0.30	0.40	0.12
<b>Cr % ≤</b>	0.0003	-	-
<b>Conclusion</b>	<b>Qualified</b>		

 Analyst: *Wen Qian*

 Quality Assurance Officer: *Zhan Peng*
